

eProof

2 Split Rock Drive Suite 11, Cherry Hill, NJ 08003 **Telephone**: 1-856 424-4818 or 1-800 320-1510

Fax: 1-856 424-5269

Hours of Operation: 9:00 - 5:30 pm Eastern, M - F

Customer Service E-mail: service@garrettspecialties.com

RUSH PROOF

In order to meet your delivery date, here is a copy of your artwork so you can see what we are sending to the manufacturer to be printed. Immediate approval is required in order to maintain the supplier's production schedule.

CAREFULLY REVIEW THE ARTWORK ATTACHED.

Order#: 128511

Product: Nurse Pen

Item #: 1097-310422

Imprint Method: Pad Print on the Barrel - Teal 327

PLEASE ADVISE WHICH OPTION YOU ARE APPROVING

Option 1: This option shows the text as you have requested it for this order

Dr Lan Luo, MD. Invasive Cardiologist Ph: 352.873.9557 Fx: 352.873.1842



Option 2: This option shows the text as done on your previous order

Dr Lan Luo, Cardiologist Ph: 352 873 9557



IMPORTANT INFORMATION (PLEASE READ)

Please proof carefully for spelling errors, omissions, and layout accuracy. It is your responsibility to correct any errors. Garrett Specialties assumes no responsibility for errors after a proof has been authorized to print. Please note changes or revisions to your proof from your original instructions may cause revision in your ship date. Delays in paper proof approval also may require a change in your schedule ship dates. Occasionally, some fax machines may distort the image. Please pay close attention to numbers.

It is imperative that you view your e-proof and submit your approval and/or changes promptly to maintain your anticipated delivery date.

Please keep in mind that this virtual proof is not a printed sample of your artwork on our product. The size and placement of the artwork may vary from this proof when actually printed on the product. Carefully review the attached proof for verification of copy & layout.

Due to inherent technical differences in color monitors, the imprint colors and product colors depicted in the attached proof will not resemble those in the final product. We make every effort to match requested custom colors, but cannot guarantee a 100% exact match. Imprints are applied using pad or screen inks. These inks are hand mixed as close as possible to the requested color but may vary 2 to 4 shades. For this reason an exact PMS match cannot be guaranteed. Your order is ON HOLD until we receive an approval from you in reference to your artwork.