

2 Split Rock Drive Suite 11, Cherry Hill, NJ 08003
Telephone: 1-856 424-4818 or 1-800 320-1510
Fax: 1-856 424-5269
Hours of Operation: 9:00 - 5:30 pm Eastern, M - F
Customer Service E-mail: service@garrettspecialties.com

Order#: 120617

Product: Travel Well Sanitizer Wipes Key Chain

Item #: 1008-305295

Imprint Method: Pad Print on the Top, Diameter - Burgundy 202

**PLEASE INDICATE OPTION 1 OR 2
 IN COMMENT BOX WHEN APPROVING.
 OPTION 2 IS RECOMMENDED**

*****PLEASE VERIFY IF ALL ARTWORK IS CORRECT.*****

Disclaimer: Imprint color is based off our Stock Burgundy (PMS 202 C)


*****OPTION 1*****

200%



**(970)848-5405
 (970)848-3896
 (970)345-6336**

ACTUAL SIZE



1" dia



SMALL AREAS IN ARTWORK
 WILL FILL IN AND NOT BE LEGIBLE
 WHEN PRINTED.


*****OPTION 2*****

200%

**Yuma District
 Hospital & Clinics**

**(970)848-5405
 (970)848-3896
 (970)345-6336**

ACTUAL SIZE



1" dia



*****IMPORTANT INFORMATION*** (PLEASE READ)**

Please proof carefully for spelling errors, omissions, and layout accuracy. It is your responsibility to correct any errors. Garrett Specialties assumes no responsibility for errors after a proof has been authorized to print. Please note changes or revisions to your proof from your original instructions may cause revision in your ship date. Delays in paper proof approval also may require a change in your schedule ship dates. Occasionally, some fax machines may distort the image. Please pay close attention to numbers.

It is imperative that you view your e-proof and submit your approval and/or changes promptly to maintain your anticipated delivery date.

Please keep in mind that this virtual proof is not a printed sample of your artwork on our product. The size and placement of the artwork may vary from this proof when actually printed on the product. Carefully review the attached proof for verification of copy & layout.

Due to inherent technical differences in color monitors, the imprint colors and product colors depicted in the attached proof will not resemble those in the final product. We make every effort to match requested custom colors, but cannot guarantee a 100% exact match. Imprints are applied using pad or screen inks. These inks are hand mixed as close as possible to the requested color but may vary 2 to 4 shades. For this reason an exact PMS match cannot be guaranteed.

Your order is ON HOLD until we receive an approval from you in reference to your artwork.